

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addiese: COMMISSIONER FOR PATENTS P O Box 1450 Alexandria, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/663,472	09/15/2003	Binod P. Gangadharan	063435-413715	3749
66083 7590 05/12/2011 Polsinelli Shughart PC			EXAMINER	
on behalf of Oracle America, Inc.			HENRY, MARIEGEORGES A	
700 West 47th Suite 1000	Street		ART UNIT	PAPER NUMBER
Kansas City, MO 64112			2455	
			NOTIFICATION DATE	DELIVERY MODE
			05/12/2011	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

uspt@polsinelli.com

Application No. Applicant(s) 10/663,472 GANGADHARAN ET AL. Office Action Summary Examiner Art Unit MARIE GEORGES HENRY 2455 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CPT 1.136(a). In no event, however, may a reply be timely filled I NO period for reply is specified above, he maximum statutory period will apply and will expire SIX (b) MONTHS from the mailing date of this communication. Failure to newly within the set or extended period for reply will, by statute, cause the application to become ABANDONED (8 US.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filled, may reduce any earned patient term adjulament. See 37 CPT.1740 for 100.
Status
1) Responsive to communication(s) filed on 22 February 2011. 2a] This action is FINAL. 2b] This action is FINAL. 3] Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.
Disposition of Claims
4) ⊠ Claim(s) 1-3.5-7.9.10 and 29-31 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) □ Claim(s) is/are allowed. 6) ☒ Claim(s) 1-3.5-7.9.10.29 and 31 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or election requirement.
Application Papers
9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.
Priority under 35 U.S.C. § 119
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b\ Some *c\ None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No

Attachment(s) 1) Notice of References Cited (PTO-892) Interview Summary (PTO-413)
 Paper No(s) Notal Date 2) Notice of Draftsperson's Patent Drawing Review (PTO 948) 5) Notice of Informal Patent Application 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 6) Other: U.S. Patent and Trademark Office PTOL-326 (Rev. 08-06) Part of Paper No./Mail Date 20110505 Office Action Summary

Application/Control Number: 10/663,472 Page 2

Art Unit: 2455

DETAILED ACTION

 This communication is in response to the appeal brief filed on 2/22/2011. Claims 1-3, 5-7, 9-10, and 29-31 are pending. Claims 1-3, 5-7, 9-10, and 29-31 are related to frameworks for integrating information systems.

Claim Rejections - 35 USC § 101

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirement of this title.

- 2. Claim 29 is rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter. The claim is directed to computer-readable media including computer program code. The specification does not explicitly exclude carrier waves. Carrier waves are not processes, machines, manufactures, or compositions of matter within the meaning of 35 U.S.C. 101, and therefore the claims are not directed to statutory subject matter. The examiner suggests amending the claims to "non-transitory computer readable medium" in order to overcome the 101 rejection.
- 3. Claims 30 and 31 are rejected under 35 U.S.C. 101 because depending on rejected claim 29

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having

Art Unit: 2455

ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

4. Claims 1-3, 5-7, and 29-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Starkovich et al. (hereinafter "Starkovich") (US 6, 993, 585 B1) in view of Helgeson et al. (hereinafter "Helgeson") (US 7, 072, 934 B2).

Regarding claim 1, Starkovich a method of connecting an application server to an information system, said method comprising:

providing, utilizing a hardware application server, a generic connector interface on said hardware application server (Starkovich, column 7, lines 41- 42, fig. 4, a generic gateway is disclosed in a NT server), receiving information related to an information system at said hardware application server, said information system having a first interface, said information system accessible utilizing said first interface (Starkovich, column 6, lines 34-39, fig. 1 a Distributed Transaction Processing is transmitting data and status information to a Transaction Gateway client);

generating, utilizing said hardware application server, a customized connector interface on said hardware application server by modifying said generic connector interface based on said received information by: wherein said customized connector interface provides access to said information system through said first interface of said information system (Starkovich, column 8, lines 38-47, fig.6, clients of a WebTx access enterprise applications using a processing information made of custom gateway).

Although Starkovich discloses a feature to built customer own gateway to interface own application, he does not explicitly disclose the generic connector interface comprising a Generic Resource Adaptor Archive (GRAR) file; adding said first interface to the Generic Resource Adaptor Archive (GRAR) file, and creating a Customized Resource Adaptor Archive (CRAR) file by modifying a deployment descriptor of the Generic Resource Adaptor Archive (GRAR) file; and connecting, utilizing said hardware application server, said information system to said hardware application server via said

Art Unit: 2455

customized connector interface utilizing the Customized Resource Adaptor Archive (CRAR) file.

Helgeson discloses the generic connector interface comprising a Generic Resource Adaptor Archive (GRAR) file (Helgeson, column 56, lines 24-34, a generic data mode of command for driving an interface is in XML); Helgeson discloses a method adding said first interface to the Generic Resource Adaptor Archive (GRAR) file (Helgeson, column 58, lines 4-14, a new interaction component is added), and creating a Customized Resource Adaptor Archive (CRAR) file by modifying a deployment descriptor of the Generic Resource Adaptor Archive (GRAR) file (Helgeson, column 54, lines 49-56, a user interface customization is disclosed based on XML, XSLT, and Java Technologies); and

connecting, utilizing said hardware application server, said information system to said hardware application server via said customized connector interface utilizing the Customized Resource Adaptor Archive (CRAR) file (Helgeson, column 35, lines 19-31, an application server is disclosed being used for creating an interface using a deployment descriptor).

Therefore it would have been obvious for one having ordinary skill in the art at the time the invention was made to incorporate Helgeson flexible interface feature into Starkovich generic connection for integrating information method in order to create generic connection for information method with a flexible interface feature in order to respond quickly to various network requirements of network devices.

Regarding claim 2, Starkovich and Helgeson disclose the method as recited in claim 1, wherein said providing of a generic connector interface comprises providing a software package (Starkovich, column 8, lines 34-37, Gateway interface customer own application to an OLTP enterprise application).

Art Unit: 2455

Regarding claim 3, Starkovich and Helgeson disclose the method as recited in claim 2, wherein said information system is a relational database that is compliant with Java DataBase Connection (JDBC) architecture (Starkovich, column 7, lines 66-67, class definitions used are JavaGate compatible).

Regarding claim 5, Starkovich and Helgeson disclose the method as recited in claim 1.

Although Starkovich discloses a feature to built customer own gateway to interface own application, he does not explicitly disclose a feature wherein modifying the deployment descriptor comprises editing at least one of a server Name, a port number, a user name, a password, a database name, a data source name, a description, a network protocol, a role name, a login timeout, driver properties, a delimiter, or a class name.

Helgeson discloses the method wherein modifying the deployment descriptor comprises editing at least one of a server Name, a port number, a user name, a password, a database name, a data source name, a description, a network protocol, a role name, a login timeout, driver properties, a delimiter, or a class name (Helgeson, column 73, lines 25-30, domain name is disclosed being edited).

Therefore it would have been obvious for one having ordinary skill in the art at the time the invention was made to incorporate Helgeson flexible interface feature into Starkovich generic connection for integrating information method in order to create generic connection for information method with a flexible interface feature in order to respond quickly to various network requirements of network devices.

Regarding claim 6, Starkovich and Helgeson disclose the method as recited in claim 1, wherein said receiving of information related to said information system comprises: receiving one or more parameters (Starkovich, column 8, lines 38-39, key software component are part of the access relationship between a WebTx and enterprise applications).

Art Unit: 2455

Regarding claim 7, Starkovich and Helgeson disclose the method as recited in claim 6, wherein said receiving of information related to said information system further comprises receiving said one or more parameters as input through a Graphical User Interface (GUI) (Starkovich, column 7, lines 44-47, data is received in a format that is understandable by a URL).

Regarding claim 29, Starkovich a computer readable medium including computer program code for connecting an application server to an information system, said computer readable medium comprising:

computer program code, stored in at least one computer readable medium and executable by at least one processing unit, for providing a generic connector interface (Starkovich, column 7, lines 41- 42, fig. 4, a generic gateway is disclosed in a NT server), computer program code, stored in the at least one computer readable medium and executable by the at least one processing unit, for receiving information related to an information system, said information system having a first interface, said information system accessible utilizing said first interface (Starkovich, column 6, lines 34-39, fig. 1 a Distributed Transaction Processing is transmitting data and status information to a Transaction Gateway client);

computer program code, stored in the at least one computer readable medium and executable by the at least one processing unit (Starkovich, column 5, lines 1-5, a storage feature is disclosed), for generating a customized connector interface by modifying said generic connector interface based on said received information, wherein said customized connector interface provides access to said information system through said first interface of said information system (Starkovich, column 8, lines 38-47, fig.6, clients of a WebTx access enterprise applications using a processing information made of custom gateway).

Art Unit: 2455

Although Starkovich discloses a feature to built customer own gateway to interface own application, he does not explicitly disclose the generic connector interface Comprising a Generic Resource Adapter Archive (GRAR) file; adding said first interface to the Generic Resource Adaptor Archive (GRAR) file, and creating a Customized Resource Adaptor Archive (CRAR) file by modifying a deployment descriptor of the Generic Resource Adaptor Archive (GRAR) file; and computer program code, stored in the at least one computer readable medium and executable by the at least one processing unit, for connecting said information system to said application server via said customized connector interface utilizing the Customized Resource Adaptor Archive (CRAR)file.

Helgeson discloses the generic connector interface Comprising a Generic Resource Adapter Archive (GRAR) file (Helgeson, column 56, lines 24-34, a generic data mode of command for driving an interface is in XML); by adding said first interface to the Generic Resource Adaptor Archive (GRAR) file (Helgeson, column 58, lines 4-14, a new interaction component is added), and creating a Customized Resource Adaptor Archive (CRAR) file by modifying a deployment descriptor of the Generic Resource Adaptor Archive (GRAR) file (Helgeson, column 54, lines 49-56, a user interface customization is disclosed based on XML, XSLT, and Java Technologies); and

computer program code, stored in the at least one computer readable medium and executable by the at least one processing unit, for connecting said information system to said application server via said customized connector interface utilizing the Customized Resource Adaptor Archive (CRAR) file (Helgeson, column 35, lines 19-31, a application server is disclosed being used for creating an interface using a deployment descriptor).

Therefore it would have been obvious for one having ordinary skill in the art at the time the invention was made to incorporate Helgeson flexible interface feature into Starkovich generic connection for integrating information systems in order to create

Art Unit: 2455

generic connection for information systems with a flexible interface feature in order to respond quickly to various network requirements of network devices.

Regarding claim 30, Starkovich and Helgeson disclose the computer readable medium as recited in claim 29, wherein said computer programming code, stored in at least one computer readable medium and executable by at least one processing unit, for providing a generic connector interface comprises: providing a software package (Starkovich, column 8, lines 34-37, Gateway interface own application to an OLTP enterprise application is disclosed).

Regarding claim 31, Starkovich and Helgeson disclose the computer readable medium as recited in claim 30, wherein said information system is a relational database is compliant with a Java DataBase Connection (JDBC) architecture (Starkovich, column 7, lines 60-67, WebTx system having a Java Libraries available and using a software development is disclosed).

 Claims 9 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Starkovich, in view of Helgeson, and further in view of Ng (US 6, 411, 956 B1).

Regarding claim 9, Starkovich and Helgeson disclose the method as recited in claim 1.

Although Starkovich and Helgeson disclose the feature to built customer own gateway to interface own application, they do not disclose the feature wherein said connecting of said information system to said hardware application server comprises: encapsulating said first interface by a second interface that is implemented after said generic connector interface is customized. Ng discloses the feature wherein said connecting of said information system to said hardware application server comprises: encapsulating said first interface by a second interface that is implemented after said generic connector interface is customized (Ng, column 3, lines 40-44, instead of creating a new physical database connection for each connection request a global

Art Unit: 2455

transaction identifier is used in order to make the connection).

Therefore it would have been obvious for one having ordinary skill in the art at the time the invention was made to incorporate Helgeson flexible interface feature and Ng flexible connection feature into Starkovich generic connection for integrating information method in order to create generic connection for information method with a flexible interface feature and a flexible connection feature in order to respond quickly to various network requirements of a network devices and to permit a transparent translation between different communication protocols.

Regarding claim 10, Starkovich and Helgeson disclose the method as recited in claim 1.

Although Starkovich discloses the feature to built customer own gateway to interface own application, he does not explicitly disclose the feature wherein generating a customized connector interface comprises: generating a second interface that can encapsulate the first interface. Ng discloses the feature wherein generating a customized connector interface comprises: generating a second interface that can encapsulate the first interface (Ng, column 3, lines 40-44, instead of creating a new physical database connection for second connection request a global transaction identifier is used in order to make the connection).

Therefore it would have been obvious for one having ordinary skill in the art at the time the invention was made to incorporate Helgeson flexible interface feature and Ng flexible connection feature into Starkovich generic connection for integrating information method in order to create generic connection for information method with a flexible interface feature and a flexible connection feature in order to respond quickly to various network requirements of a network devices and to permit a transparent translation between different communication protocols.

The prior arts made of record and not relied upon are considered pertinent to applicant's disclosure. Fan et al. (US 7, 457, 845 B2) is made part of the record

Art Unit: 2455

because of the teaching of generic buffer. Scheibli et al. (US 7,318, 148 B2) is made part of the record because of the teaching of network interface. Ahrens et al. (US 7, 076, 570 B2) is made part of the record because of the teaching of connectors.

Response to Argument

7. Applicant's arguments filed on February 22, 2011 with respect to claims 1 -3, 5-7, 9-10, and 29-31 have been considered and the rejections have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

8. . Any inquiry concerning this communication from the examiner should be directed to Marie Georges Henry whose telephone number is (571) 270-3226. The examiner can normally be reached on Monday to Friday 7:30am - 4:00pm. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Emmanuel Moise can be reached on (571) 272-3865. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217- 9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Marie Georges Henry/ Examiner, Art Unit 2455 Application/Control Number: 10/663,472 Page 11

Art Unit: 2455

/Emmanuel L. Moise/

Supervisory Patent Examiner, Art Unit 2455